

Date-Issued: 22-Aug-16  
MSDS Ref. No: BBBWW  
Date-Revised:  
Revision No:

# MATERIAL SAFETY DATA SHEET

## Boat Buddy Boat Wash with Wax

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

This product is a concentrated neutral surfactant blend containing Amphoteric / Anionic / Nonionic / Amphoteric surfactants and sequestering agents.

#### 1.2 Relevant Identified uses of the substance or mixture and uses advised against

Identified use(s) The intended use is in marine, industrial and Institutional cleaning.

Uses advised against: This is a concentrated product, thus is designed to be used when diluted with clean water. Please consult supplier prior to use for recommended dilution concentrations.

#### 1.3 Details of the supplier of the safety data sheet

##### Company Identification:

Yellow Dolphin Ltd  
Pantiles  
Marino Avenue Esast  
Killiney  
Dublin  
Ireland  
Email: info@boatbuddy.net

#### 1.4 Emergency telephone number

In an emergency dial 999 (Ireland Only) or 112 (EU)  
For specialist advice in an emergency telephone +353 879511345

### 2. HAZARDS IDENTIFICATION

#### 2.2 Label elements Hazard statement:

H315: Causes skin irritation  
H319: Causes eye irritation

Signal word(s)

Warning



Hazard pictogram

#### Precautionary statement(s)

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

**P280:** Wear protective gloves/protective clothing/eye protection/face protection.

**P301+P330+P331:** IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

**P303+P361+P353:** IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

**P305+P351+P338:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**P310:** Immediately call a POISON CENTER or doctor/physician.

#### Additional Label requirements

None

#### 2.3 Other hazards

Slipping hazard, will make surfaces very slippery on contact.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous Substances

Hazardous ingredients(s)	% (w/w)	CAS No:	H Codes	GHS Classification
Alcohols, C12-13-branched and linear	<1.0	160901-19-9	318	Serious eye damage, Cat 1
1-propanaminium, 3-amino-n-(carboxymethyl)-n,ndimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts	<5.0	931-513-6	318	Serious eye damage, Cat1
Amides, C8-18 (even numbered) and C18-unsatd., N, Nbis(hydroxyethyl)	<5.0	8051-30-7	315, 318	Skin Irr. 2, Eye Dam. 1
Propan-2-ol	<1.0	67-63-0	225, 319,336	Eye irritation, Cat 2 Flammable Liquid, cat 2.
Sodium C10-16 alkyl ethoxy sulphate	<5.0	68585-34-2	315, 318	Skin Irr. 2, Eye Dam. 1
2-Bromo-2-nitropropan-1,3-diol	<0.1	52-51-7	302, 312, 315, 318, 335, 400	Acute toxicity, Dermal Cat. 4, Acute toxicity, Oral Cat. 4 Specific target organ toxicity - single exposure Cat. 3, Skin irr.Cat. 2, Serious eye damage Cat. 1 Acute aquatic toxicity Cat. 1

## 4. FIRST AID MEASURES

### INHALATION

Remove patient from exposure, keep warm and at rest. Administer oxygen if necessary

### SKIN CONTACT

Remove contaminated clothing. Drench with large quantities of water. Continue to wash the affected area for at least 10 minutes.

### EYE CONTACT

Immediately irrigate with eyewash solution or clean water, holding the eyelids apart for at least 15 minutes. Continue irrigation until medical attention can be obtained.

### INGESTION

Do not induce vomiting. Provided the patient is conscious, wash out mouth with water and give 200-300 ml (half a pint ) of water to drink.

#### **4.2 Most important symptoms and effects, both acute and delayed**

Causes damage to eyes and skin. May cause damage with formation of corneal ulcers and permanent impairment of vision. Mist may be irritant to the respiratory tract. Effect may vary from irritation of the nasal mucous membrane to moderate lung irritation.

#### **4.3 Indication of any immediate medical attention and special treatment needed:**

**Speed is essential. Obtain immediate medical attention.** Showers and eye washing equipment must be provided at handling points. Remove contaminated clothing and wash all affected areas with plenty of water. Symptomatic treatment and supportive therapy as indicated.

## 5. FIRE FIGHTING MEASURES

**Extinguishing Media :** Foam, CO2 or dry powder  
**Suitable extinguishing media**As appropriate for surrounding fire

#### **5.2 Special Hazards arising from the substance or mixture**

Non combustible.

#### **5.3 Advice for fire fighters**

A self contained breathing apparatus and suitable protective clothing must be worn in fire conditions.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure suitable personal protection during removal of spillages.

### 6.2 Environmental precautions

Avoid release to the environment. Prevent liquid entering sewers, basements and any watercourses.

### 6.3 Methods and material for containment and cleaning up

Stop leak if safe to do so. Contain spillages.

Small spillages: Neutralise wherever possible. Wash the spillage area with water.

Large spillages: Contain spillages with sand, earth or any suitable adsorbent material. Remove and dispose of residues. Wash the spillage area with water. Water washing to drain of large amounts of caustic soda should only be carried out with the prior consent of the Environment Agency or other appropriate regulatory body.

Contaminated adsorbent must be removed in sealed, plastic lined drums and disposed of via an authorised waste disposal contractor.

### 6.4 Reference to other sections

See Section: 8, 13

### 6.5 Additional information

Significant spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environment Agency or other appropriate regulatory body.

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Keep away from acids and chlorinated hydrocarbons.

Care should be taken when diluting solutions. Do not spray. Avoid generation of aerosols or mist.

### 7.2 Conditions for safe storage, including any incompatibilities

For small quantities - Keep container tightly closed.

### 7.3 Specific end use(s)

Marine Restoration

## 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

### **8.1 Control Parameters**

### **8.2 Exposure controls**

Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, if fumes or vapours are likely to be evolved.

### **Personal Protection**

Eye/face protection, wearing of goggles is advised.

### **Skin protection**

Wear suitable protective clothing and gloves.

### **Respiratory protection**

Not normally required under standard usage conditions

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Form	Clear liquid.
Colour	Green/Blue Characteristic
Solubility (water)	Complete
Density gcm <sup>-3</sup> (@20degC	1.02
pH	7.50

### 9.2 Other information

Refer to technical brochure.

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

The product is inert to most other chemical interaction.

### 10.2 Chemical Stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Can potentially react violently if in contact with acids and chlorinated hydrocarbons.

### 10.4 Conditions to avoid

None recommended

### 10.5 Incompatible materials

Keep away from: Acids, ammonia solution, chlorinated hydrocarbons

### 10.6 Hazardous Decomposition Product(s)

Carbon Dioxide

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### *Test result / data*

<b>Acute oral toxicity</b>	Will immediately cause irritation of and damage to the gastrointestinal tract.
<b>Acute inhalation toxicity</b>	Mist is an irritant to the respiratory tract. Effect may vary from irritation of the nasal mucous membrane to severe lung irritation.
<b>Acute dermal toxicity</b>	repeated unprotected exposure may cause irritation with permanent skin damage which are slow to heal. Repeated or prolonged contact to dilute solutions may cause dermatitis.
<b>Skin irritation.</b>	Causes skin Irritation with prolonged exposure.
<b>Serious eye damage/irritation</b>	May cause serious eye damage. May cause damage with formation of corneal ulcers and permanent impairment of vision.

<b>Respiratory irritation</b>	Mist is irritant to the respiratory tract. Effect may vary from irritation of the nasal mucous membrane to moderate lung irritation.
<b>Sensitisation</b>	Respiratory system: No data. There is no evidence of skin sensitisation in humans.
<b>Repeated dose toxicity</b>	No reliable data available.
<b>Germ cell mutagenicity</b>	There is no evidence of mutagenic potential. The material did not induce mutagenicity in in-vitro or in-vivo studies.
<b>Carcinogenicity</b>	Will not be systemically available in the body under normal conditions of handling and use. As a consequence it is not expected to cause cancer in any organ.
<b>Reproductive toxicity</b>	Will not be systemically available in the body under normal conditions of handling and use and will not be toxic to the reproductive system or the developing foetus.
<b>Specific target organ toxicity – single exposure (STOT SE)</b>	Not classified
<b>Specific target organ toxicity – repeated exposure (STOT RE)</b>	Not classified
<b>Aspiration hazard</b>	Not an aspiration hazard
<b>Other effects</b>	None

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

No reliable data available

### 12.2 Persistence and degradability

Highly soluble in water and has a low vapour pressure. It will be found predominantly in the aquatic environment. It degrades readily by reaction with the natural carbon dioxide in the air.

### 12.3 Bioaccumulative potential

Does not bioaccumulate.

### 12.4 Mobility in soil

Becomes increasingly more mobile in soil with dilution.

### 12.5 Results of PBT and vPvB assessment

Does not meet the criteria for persistency, bioaccumulation and toxicity. (EU RAR 2007)

### 12.6 Other adverse effects

Concentrations sufficient to render effluent alkaline may cause damage to effluent treatment organisms.

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Disposal should be in accordance with local, state or national legislation.

Do not empty into drains; dispose of this material and its container in a safe way.

Contaminated adsorbent must be removed in sealed, plastic lined drums and disposed of via an authorised waste disposal contractor.

### 13.2 Additional information

Sludge waste containing mercury (see Storage) will require to be disposed of in an authorised treatment facility licenced under the Environmental Protection Act (EPA).

## 14. TRANSPORT INFORMATION

Not Classified as hazardous for transport

## 15. REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Control of Substances Hazardous to Health Regulations (COSHH) 2002 SI 2002/2677 and COSHH Essentials: Easy steps to control chemicals - Control of Substances Hazardous to Health Regulations HSG193. Wassergefährdungsklasse (Germany)WGK class 1 (official).

### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment (CSA) has not been completed for this substance

This surfactant complies with the biodegradation criteria as laid down in regulation (EC) No648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the member states and will be made available to them at their direct request or at the request of a detergent manufacturer.

## 16. OTHER INFORMATION

**Indication of changes** See Section: 8.1, 14.4

**LEGEND**

**WEL** : Workplace Exposure Limit (UK HSE EH40)

**COM** : The company aims to control exposure in its workplace to this limit

**TLV** : The company aims to control exposure in its workplace to the ACGIH limit

**TLV-C**: The company aims to control exposure in its workplace to the ACGIH Ceiling limit

**MAK** : The company aims to control exposure in its workplace to the German limit

**Sk** : Can be absorbed through skin

**Sen** : Capable of causing respiratory sensitisation

**Bmgv** : Biological monitoring guidance value (UK HSE EH40)

**ILV** : Indicative Limit Value (UK HSE EH40)

**IOELV**: Indicative Occupational Exposure Limit Value

**PBT** Persistent, Bioaccumulative and Toxic

**vPvB** very Persistent very Bioaccumulative

Legal disclaimer: The information provided is based on our current knowledge, and does not comprise technical or performance specification for this product. It does not purport to be all-inclusive, and is intended solely as a general guide to the health, safety and environmental implications of this product for handling and disposal during general use. It does not replace the users own assessment of suitability for their purposes and of workplace risk as required by Health and Safety legislation. Accordingly, due to the diverse applications for this product, Yellow Dolphin Ltd cannot accept liability for damage of any nature, resulting from the use of this product.